



Durham E-Theses

*Land settlement projects and agricultural development:
An analysis of development factors and processes based
on four case studies in Ghana, Libya and Saudi Arabia.*

Speetzen, Heinrich

How to cite:

Speetzen, Heinrich (1974) *Land settlement projects and agricultural development: An analysis of development factors and processes based on four case studies in Ghana, Libya and Saudi Arabia.*, Durham theses, Durham University. Available at Durham E-Theses Online: <http://etheses.dur.ac.uk/1883/>

Use policy

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- a full bibliographic reference is made to the original source
- a [link](#) is made to the metadata record in Durham E-Theses
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the [full Durham E-Theses policy](#) for further details.

Academic Support Office, Durham University, University Office, Old Elvet, Durham DH1 3HP
e-mail: e-theses.admin@dur.ac.uk Tel: +44 0191 334 6107
<http://etheses.dur.ac.uk>


LAND SETTLEMENT PROJECTS AND AGRICULTURAL DEVELOPMENT

An Analysis of Development Factors and Processes based
on four Case Studies in Ghana, Libya and Saudi Arabia

Heinrich Speetzen, Ing. (grad.) agr. trop.

VOLUME II (APPENDIX)

October 1974



C O N T E N T S

Page

PART ONE

Faisal Settlement Project, Haradh, Saudi Arabia

Cropping area for the lambs to be fattened	1
Pattern of expenditure for cash crops	2
The three settlement belts of Saudi Arabia	5

PART TWO

Al Hassa Oasis, Saudi Arabia

Map of the oasis	1
Names of the owners and sizes of the farms in Flah1	2
Names of the owners and sizes of the farms in Flah3	4
Springs and their outputs	6
Irrigation canals	8
Drainage canals	11
Monthly daily mean humidity of the air	13
Monthly daily mean temperatures	14

PART THREE

Avu Keta, Ghana

Mean monthly duration of sunshine	1
Long-term maximum and minimum temperature	2
Mean monthly evaporation	3
Map of isohyets	4

PART FOUR

Tauorga Oasis, Libya

Geological map	1
Temperatures	2
Rainfall and humidity	3
Solar radiation	3
Chemical water analysis	4
Classification of ground-water	5
References	
Bibliography	

LIST OF MAPS AND DIAGRAMS

Page

PART ONE

Map No. 1	The three Settlement Belts of Saudi Arabia	1
-----------	--------------------------------------------	---

PART TWO

Map No. 1	Al Hassa Oasis	1
Diagram No. 1	Monthly Daily Mean Temperatures	13
Diagram No. 2	Monthly Daily Mean Humidity of the Air	14

PART THREE

Diagram No. 1	Mean Monthly Duration of Sunshine	1
Diagram No. 2	Long-term Maximum and Minimum Temperatures	2
Diagram No. 3	Mean Monthly Evaporation	3
Map No. 1	Map of Isohyets	4

PART FOUR

Map No. 1	Geological Map	1
Diagram No. 1	Temperatures	2
Diagram No. 2	Rainfall and Humidity	3
Diagram No. 3	Solar Radiation	3

P A R T O N E

FAISAL SETTLEMENT PROJECT, HARADH, SAUDI ARABIA

Cropping area for the lambs to be fattened

The number of lambs to be fattened each year from 1.6 ha. will be:

$$\underline{365 \times 0.6 \text{ kg. hay}}$$

$$\underline{219.0 \times 5} \text{ (to obtain the quantity of green alfalfa)}$$

1,095.0 kg. of green alfalfa

$$+ \underline{730.0 \text{ kg. of green alfalfa}} (2 \times 365)$$

$$1,825.0 \div 2 = 913.0 \text{ kg. of green alfalfa. This is the portion for the ewe.}$$

$$5 \text{ kg. of green alfalfa (hay and green)} \times 80 = 400 \text{ kg. of green alfalfa per lamb.}$$

40 kg. of green alfalfa
consumed during
growing period.

That is, 1,353 kg. of green alfalfa are necessary per lamb. Thus,
160 tons are enough to feed 118 lambs.

Demand for maize (sorghum) for a daily ration of 0.5 kg. silage:

$$\underline{365 \times 0.5}$$

$$182.5 \text{ kg.} \div 2 = 91.25 \text{ kg. (ewe portion per lamb)}$$

$$10.00 \text{ kg. (during growing period)}$$

$$\underline{40.00 \text{ kg.}} (0.5 \text{ kg.} \times 80 \text{ days})$$

$$141.25 \text{ kg. per lamb}$$

$$\underline{141.25 \text{ kg.} \times 118}$$

16,667.5 kg. of silage are necessary for 118 lambs.

Assuming a wastage of 30 per cent, 16,000 kg. are available from
an area of 0.6 ha.

Demand for a daily ration of 0.25 kg. of barley.

$$\underline{365 \times 0.25 \text{ kg.}}$$

$$91.25 \text{ kg.} \div 2 = 45.63 \text{ kg. (ewe proportion per lamb)}$$

$$\underline{20.00 \text{ kg.}} (0.25 \text{ kg.} \times 80 \text{ fattening days})$$

$$65.63 \text{ kg. of barley per lamb}$$

$$\underline{65.63 \text{ kg.} \times 118}$$

7,744.34 kg. of barley are necessary for 118 lambs to be fattened.

Table No. 1


Pattern of expenditure for cash crops

<u>Hectares</u>	<u>Crop</u>	<u>Amount/ha.</u>	<u>SR/unit</u>	<u>SR/area</u>
0.3	<u>Barley</u>			
	Seeds	120 kg.	0.70	25.20
	Fertilizer	500 kg.	0.52	78.00
	Plant protection	24 SR	-	7.20
	Machine costs	87 SR	-	26.10
	Water	1,833 cu.m.	0.10	183.30
				<hr/>
				319.80
				<hr/>
0.4	<u>Potatoes</u>			
	Seeds	1,200 kg.	1.40	672.00
	Fertilizer	600 kg.	0.52	124.80
	Plant protection	60 SR	-	24.00
	Machine costs	87 SR		34.80
	Water	4,126 cu.m.	0.10	412.60
				<hr/>
				1,268.20
				<hr/>
0.6	<u>Onions</u>			
	Seeds	5 kg.	140.00	420.00
	Fertilizer	600 kg.	0.52	187.20
	Plant protection	40 SR	-	24.00
	Machine costs	87 SR	-	52.20
	Water	7,308 cu.m.	0.10	730.80
				<hr/>
				1,414.20
				<hr/>

<u>Hectares</u>	<u>Crop</u>	<u>Amount/ha.</u>	<u>SR/unit</u>	<u>SR/area</u>
0.3	<u>Garlic</u>			
	Seeds	1,000 kg.	3.50	1,050.00
	Fertilizer	600 kg.	0.52	93.60
	Plant protection	20 SR	-	6.00
	Machine costs	87 SR	-	26.10
	Water	3,653 cu.m.	0.10	365.30
				<hr/>
				1,541.00
				<hr/>
0.2	<u>Vegetables</u>			
	Seeds	100 SR*	-	20.00
	Fertilizer	600 kg.	0.52	62.40
	Plant protection	60 SR	-	12.00
	Machine costs	87 SR	-	17.40
	Water	1,937 cu.m.	0.10	193.70
				<hr/>
				305.50
				<hr/>
0.2	<u>Cucumber and melons</u>			
	Seeds	3 kg.	28.00	16.80
	Fertilizer	500 kg.	0.52	52.00
	Plant protection	60 SR	-	12.00
	Machine costs	87 SR	-	17.40
	Water	2,087 cu.m.	0.10	208.70
				<hr/>
				306.90
				<hr/>

* 100.00 SR is the average price

<u>Hectares</u>	<u>Crop</u>	<u>Amount/ha.</u>	<u>SR/unit</u>	<u>SR/area</u>
0.2	<u>Okra</u>			
	Seeds	10 kg.	10.00	20.00
	Fertilizer	600 kg.	0.52	62.40
	Plant protection	60 SR	-	12.00
	Machine costs	87 SR	-	17.40
	Water	1,793 cu.m.	0.10	179.30
				<hr/>
				291.10
				<hr/>




Map No. 1

P A R T T W O

AL HASSA OASIS, SAUDI ARABIA

AL HASSA OASIS



Source: F. S. Vidal

Map No. 1

Table No. 1

Names of the owners and sizes of the farms in Flah 1¹

<u>Name</u>	<u>Size in ha.</u>
1. Wakf land	0.222
2. Hukumah land	0.085
3. Ibrahim Hassan Khalifa	0.369
4. Assayd Khalifa Ali	0.164
5. Matouk Saad al Khanfoush	0.134
6. Ibrahim Saif al Mutaweh	0.250
7. Jassem Eissa Hussein	0.159
8. Saleh Eid Jumaiah	0.194
9. Wakf land	0.313
10. Matouk Saad al Khanfoush	0.220
11. Saleh al Ghanem	0.098
12. Ibrahim Ali	0.297
13. Ahmed al Huwaishel	0.207
14. Saleh al Ghanem	0.095
15. Taher Mohammed al Shuwaiween	0.168
16. Ali Ahmed al Kufail	0.047
17. Mohammed Hussein al Yussef	0.063
18. Ahmed Marsouk	0.240
19. Abdullah Asfour	0.433
20. Ali Hassan Salim	0.043
21. Taher Said	0.110
22. Ahmed al Ghanem	0.053
23. Ahmed al Salim	0.140
24. Mohammed al Dubavan	0.040
25. Abdullah Asfour	0.271
26. Mohammed Hussein al Kattan	0.263

<u>Name</u>	<u>Size in ha.</u>
27. Abdullah Abu Auwais	0.035
28. Ahmed Hassan Kathem	0.105
29. Hukumah land	0.055
30. Taher Said	0.192
31. Ben Nathan	0.016
32. Abdullah Matawah	0.465
33. Hukumah land	0.135
34. Ibrahim Saif	0.222
35. Wakf land	0.055
36. Eissa al Mudarah	0.227
37. Wakf land	0.592
38. Wakf land	0.027
39. Wakf land	0.083
40. Ali Suaiween	0.155
41. Abdahrahman ben Sarrar	0.064

Table No. 2

Names of the owners and sizes of the farms in Flah³₂

<u>Name</u>	<u>Size in ha.</u>
1. Wakf land	0.244
2. Khalifa Ali	0.865
3. Hussein Ali	0.177
4. Taher Mohammed Shuaiween	0.024
5. Mohammed Hassan Yussef	0.060
6. Sons of Mohammed Eissa	0.253
7. Awad Hassan Ibrahim	0.134
8. Hamed Hassan	0.071
9. Ahmed Hassan Ibrahim	0.103
10. Ahmed al Hussein	0.118
11. Hussein al Kathem	0.017
12. Ahmed al Kathem	0.024
13. Ahmed al Hassan	0.079
14. Sheikh Abdullah al Mubarrak	0.944
15. Hamed al Hugaili	0.140
16. Hukumah land	1.808
17. Fahed ben Sarrar	0.667
18. Saleh al Mubarrak	0.017
19. Wakf land	2 palm trees
20. Sons of Fahed al Mubarrak	0.766
21. Saleh al Ghanem	0.085
22. Saleh al Markazi	0.071
23. Taher Abu Khushein	0.124
24. Mohammed al Saheeh	0.050
25. Saad ben Saheeh	0.058

<u>Name</u>	<u>Size in ha.</u>
26. Abu Ibshait and partners	0.015
27. Yussef Abdulassis al Rithe*	0.185
28. Mohammed al Ali*	1.307
29. Hussein al Ghanem*	0.783

* These farmers live in Al Taraf - all the others live in Al Jafer.

Table No. 3³

Springs and their output

<u>Name of spring</u>	<u>Output in cu.m./sec.</u>	<u>Adjacent area</u>
Ain al Khudud	3.500	F1
Ain al Hagl	2.900	F1
Ain Hueireb	0.217	F1
Ain Aseimi	0.086	F1
Ain Umm Freech	0.135	F1
Ain Umm Save	0.084	F1
Ain Guedab	0.084	F1
Ain al Amarah	0.030	F1
Ain Ta' Adhid	0.437	F1
Ain Rasibe	0.320	F1
Ain Buhadji	0.140	F1/P1
Ain Umm al Lif	0.200	F1/P1
Ain Manah	0.400	F1/P1
Ain al Luwaimi	0.580	F1/P1
Ain Talib	0.052	F1/P1
Ain Barabir	0.915	F1/P1
Ain Umm Dalli	0.130	F1
Ain Bsetina	0.140	F1
Ain al Jaburiyah	0.030	F1
Ain Mushaitiyah	0.042	F1
Ain Sable	0.048	F1
Ain Khannur	0.064	F1
Ain Jauhariyah	0.685	F2
Ain al Harrah	0.540	F3/P4
Ain Mansur	0.620	F4
Ain Umm Ahabah	1.495	F5

<u>Name of spring</u>	<u>Output in cu.m./sec.</u>	<u>Adjacent area</u>
Ain Sumbor	0.400	F6
Ain Sedide	0.155	F6
Ain Abu Nasser	0.300	F6
Ain Hagege	0.095	F6
Ain Huweirrah	0.430	P2
Ain Bahlah	0.350	F7
Ain Nasser	0.230	F2
Ain Buhauriyah	0.250	P3

Table No. 4⁴

No. OF CANAL	LENGTH OF CANAL IN km.
Z1.1	0.165
Z1.2	0.833
Z1.3	0.328
Z1.4	1.373
Z1.4.1	0.101
Z1.5	0.109
Z1.6	-
Z1.6.1	-
Z6.1	0.843
Z6.1.1	0.204
Z6.1.2	0.052
Z4	1.061
Total	5.812

Table No. 5⁵

No. OF CANAL	LENGTH IN km.
F1	19.670
F1.1	22.889
F1.1.1	4.040
F1.1.2	10.466
F1.2	8.531
F1.3	8.038
F1.4	4.287
F1.5	3.503
F2	21.386
F3	6.441
F4	7.281
F5	17.184
F5.1	3.762
F6	6.269
F6.1	2.252
F7	2.880
F2-F5	2.709
Total	151.588

Table No. 6

No. OF CANAL	No. OF CANALS	LENGTH OF CANALS IN km. ⁶
F1aa-F1bc	28	28.829
F1.1aa-F1.1bf	31	26.526
F1.1.1aa-F1.1.1ae	5	5.146
F1.1.2aa-F1.1.2am	13	7.808
F1.2aa-F1.2am	13	22.464
F1.3aa-F1.3am	13	11.245
F1.4aa-F1.4ag	7	9.622
F1.5aa-F1.5ag	7	7.260
F2aa-F2ay	24	18.918
F3aa-F3ac	3	2.250
F4aa-F4ag	7	12.854
F5aa-F5ay	24	30.636
F5.1aa-F5.1ak	10	8.046
F6aa-F6ah	8	5.911
F6.1aa-F6.1ac	3	3.108
F7aa-F7ad	4	7.770
P1a-P1h	8	21.640
P2a-P2m	10	14.230
P3a-P3cl	3	4.613
P4a-P4m	12	23.846
Total	233	208.393

Table No. 7⁷

No. OF CANAL	LENGTH IN km.
D1	53.044
D1.1	7.549
D1.2	5.242
D1.3	2.960
D1.4	6.416
D1.5	3.364
D1.6	2.538
D1.7	2.210
D2	28.248
D2.1	4.440
D2.2	14.247
D2.2.1	3.177
D2.2.2	2.363
D2.3	0.983
D3	6.500
Total	143.281

Table No. 8⁸

No. OF CANAL	No. OF CANALS	LENGTH IN km.
D1aa-D1ce	47	45.477
D1.1aa-D1.1ah	6	7.952
D1.2aa-D1.2am	10	6.981
D1.3aa-D1.3ae	5	4.621
D1.4aa-D1.4ai	9	9.103
D1.5aa-D1.5ae	5	5.901
D1.6aa-D1.6af	5	4.416
D1.7aa-D1.7ac	3	3.394
D2.aa-D2bd	27	29.119
D2.1aa-D2.1af	6	4.762
D2.2aa-D2.2aq	16	21.841
D2.2.1aa-D2.2.1ad	4	4.849
D2.2.2aa-D2.2.2ai	9	7.643
D2.3aa-D2.3ac	3	5.713
D3aa-D3ak	10	12.541
Total	165	174.313

Diagram No. 1

MONTHLY DAILY MEAN TEMPERATURES (2.00m. ABOVE SOIL SURFACE)
AGRARMETEOROLOGICAL STATION SOURCE LEICHTWEISS INSTITUTE BRAUNSCHWEIG Appendix: 43





Diagram No. 2

MONTHLY DAILY MEAN HUMIDITY OF THE AIR AGRARMETEOROLOGICAL STATION



Appendix : 4.4


SECOND TECHNICAL REPORT ON RESEARCH WORK IN THE AL HASA REGION
APPENDICES LEICHTWEISS INSTITUTE BRAUNSCHWEIG 1970

P A R T T H R E E

AVU KETA, GHANA

Diagram No. 1

MEAN MONTHLY DURATION OF SUNSHINE ADA 1956-65




○—○—○ Mean monthly length of day
●—●—● Mean monthly duration of sunshine

SOURCE: WAKUTI AVU KETA

Diagram No. 2


LONG TERM MAXIMUM AND MINIMUM TEMPERATURE. KETA 1946 1966




- Mean monthly maximum temperature
- Mean monthly temperature
- Mean monthly minimum temperature

Diagram No. 3

MEAN MONTHLY EVAPORATION





Map No. 1

P A R T F O U R

TAUORGA OASIS, LIBYA

Map No. 1





Diagram No. 1

TEMPERATURES: STATION MISURTA




- MEAN DAILY MAXIMUM TEMPERATURE
- MEAN DAILY TEMPERATURE
- · - · - MEAN DAILY MINIMUM TEMPERATURE


AVERAGE OF 18 YEARS

SOURCE WAKUTI TAUORGA

RAINFALL AND HUMIDITY: STATION MISURATA



SOLAR RADIATION I_g (incal/cm day on the horizontal surface of MISURATA SOURCE: WAKUTI TAUORGA



Diagrams Nos. 2 and 3

Table No. 2

Classification of ground-water according to J. R. Jones²

CLASS	CHLORIDE (Cl ppm)	SULPHATE (SO ₄ ppm)	TOTAL DIS. SOLIDS ppm	SPEC. CONDUCTIVITY MICROMHOS AT 25°C.
Good	less than 250	less than 250	less than 1,000	less than 1,600
Fair	250-800	250-800	1,000-1,500	1,600-2,500
Poor	800-1,500	600-1,200	1,500-3,500	2,500-6,000
Brackish	1,500-3,500	1,200-2,500	3,500-6,000	6,000-10,000
Salty	more than 3,500	more than 2,500	more than 6,000	more than 10,000

REFERENCES

PART TWO

1. H. Speetzen, Notes on Flah, (unpublished, Hofuf, 1970)
2. Ibid.
3. WAKUTI, Final Completion Report for Supervision of the Execution of the Al Hassa Irrigation and Drainage Project, (Zug, 1972), pp. 41-42
4. Ibid., p. 44
5. Ibid., p. 46
6. WAKUTI, Final Design for the Project of Improving Irrigation and Drainage in the Region of Al Hassa, Saudi Arabia, Explanation Report, (Siegen, 1964), pp. 43-45
7. WAKUTI, Completion Report, p. 74
8. Ibid., p. 75

PART FOUR

1. WAKUTI, Study on the Tauorga Irrigation Project, (Siegen, 1965), Appendix No. 2
2. Ibid., p. 47

B I B L I O G R A P H Y

PART TWO

1. Speetzen, H. Notes on Flah, unpublished, Hofuf, May 1970
2. WAKUTI Final Completion for Supervision of the Execution of the Al Hassa Irrigation and Drainage Project, Zug, Switzerland, June 1972
3. ----- Final Design for the Project of Improving Irrigation and Drainage in the Region of Al Hassa, Saudi Arabia, (Explanation Report), Siegen, Germany, December 1964

PART FOUR

1. WAKUTI Study on the Tauorga Irrigation Project, Siegen, Germany, 1965